

LHC
& THE WORLD OF

EXTRA

DIMENSIONS

Raman Sundrum
Johns Hopkins University

OUTLINE

At the frontier of experimental
& theoretical particle physics —

LHC, Electro-Weak Unification
and the Hierarchy Problem


An Extra-Dimensional scenario with
some answers

Extra Dimensions at the LHC

Other directions

ORIGIN OF THE MASSES

Past experiments \Rightarrow



Masses of all known elementary particles must emerge from this bifurcation

LHC poised to explore this revolutionary but mysterious physics

RELATIVITY THEORY

⇒ massless particles must
travel at light speed


massive particles must
travel below light speed

"STANDARD MODEL"


⇒ Elementary particles
are fundamentally all massless,
but "vacuum" is a rich bath
("condensate") of Higgs Bosons that

- (a) is extremely difficult to detect,
evading all tests for an aether etc.
- (b) slow down elementary particles below
light speed (so they acquire mass)

TRAVELS THROUGH THE "VACUUM"




LHC will (very likely)
blast Higgs bosons out of hiding



BUT THERE'S A PUZZLE : HIERARCHY PROBLEM


~ Why is gravity so weak ?






Hey, I
am Atlas!

ON PER PARTICLE BASIS



top quark
(heaviest known
elementary particle)



$$\frac{F_{\text{gravity}}}{F_{\text{electric}}} \sim 10^{-30} !$$

Theoretically, in quantum standard model this ratio appears as an implausible cancellation of many order one contributions

EXTRA DIMENSIONS OF SPACETIME

may resolve this puzzle:

Earlier: Supersymmetry, sometimes called "fermionic extra dimensions"


BraneWorld scenarios:

"Large Extra Dimensions" Arkani-Hamed, Dimopoulos, Dvali '98
"RS₁" Randall, Sundrum '99


Here we discuss Warped Compactification
(or RS) with Bulk Standard Model

How do we think about Extra Dimensions?

DIMENSION LOST!




BY BEING SQUASHED FLAT
BETWEEN 2 MIRRORS




PERIPHERAL VISION

Wave nature of light important
when short distances involved:



An Electromagnetic Wave


WAVELENGTH ≡ COLOR




wavelength →
(nm)

normally continuous, but . . .


Waving in the Mirror




BUT NOT LIKE THIS




... ALLOWS ONLY DISCRETE
SET OF WAVELENGTHS



IMPORTANT FOR MICROSCOPIC MIRROR SEPARATION




THUMBNPRINT OF MICROSCOPIC DIMENSION, 2000 nm WIDE




ALSO CALLED "KALUZA-KLEIN
SPECTRUM"

KALUZA-KLEIN SPECTRUM FOR 100 nm MIRROR SEPARATION ENTIRELY ULTRAVIOLET




⇒ NO PERIPHERAL LIGHT
IN VISIBLE RANGE

BUT VISIBLE LIGHT CAN
STILL PROPAGATE ALONG
LARGE DIMENSIONS



COULD SMALL EXTRA DIMENSIONS BE HIDDEN THIS WAY?



QUANTUM MECHANICS
⇒ LIGHT WAVES MADE OF
PHOTONS


Energy per photon =

$h \times \text{frequency} =$


↑ Planck's Constant

$\frac{hc}{\text{Wavelength}}$ speed of light


⇒ KALUZA - KLEIN EXCITATIONS OF PHOTONS



AND PARTICLES HAVE PROBABILITY
WAVES \Rightarrow KK EXCITATIONS OF
ELECTRONS, QUARKS, ...




FAR ULTRAVIOLET PHOTONS CAN BE CREATED IN PARTICLE COLLIDERS



from energy of colliding particles .

INCLUDING EXTRA-DIMENSIONAL PHOTONS




BUT NO KK EXCITATIONS
FOUND THUSFAR


\Rightarrow Size of 5th Dimension
 $< 10^{-18}$ m

LHC WILL ZOOM IN
ANOTHER $\times 10$, BUT . . .

OCCAM'S RAZOR?



GENERAL RELATIVITY with
microscopic 5th dimensional circle
→ macroscopic general relativity



+ macroscopic ELECTROMAGNETISM

Kaluza 1921, Klein 1926

BEAUTIFUL, but some crucial features
of Nature fail to emerge from theory.

STRING THEORY

is the best developed approach
to the unification of

General Relativity + Quantum Mechanics


replacing fundamental particles by
fundamental STRINGS

and contains extra dimensions
and contains Cosmic HyperMirrors.


and more successful stringy
generalizations of Kaluza & Klein's
unification of forces

HIDDEN 5th DIMENSION CAN HIDE A
5th DIMENSIONAL GRAVITATIONAL FIELD

For non-identical
mirrors




IN A GRAVITATIONAL FIELD
DIFFERENT THINGS LOCALIZE IN
DIFFERENT PLACES




INCLUDING O-MODES

Contrast




with...

INCLUDING O-MODES



KK EXCITATIONS DISTORTED TOO




SECRET OF 5TH DIMENSIONAL REAL ESTATE : LOCATION, LOCATION, LOCATION !

Particles interact most with their neighbours, less with particles with v. different extra-dimensional profiles

Localizing tendencies in 5D can naturally account for several puzzling features of interaction strengths among different particle species
In particular . . .

WARPED EXTRA DIMENSION

naturally separates graviton from Higgs,
thereby drastically weakening gravity.



ONE OF FEW KNOWN SOLUTIONS TO HIERARCHY PROBLEM!

PREDICTION of this resolution of Hierarchy Problem

$$E_{\text{KK-exitations}} \gtrsim m_{\text{max.}} c^2$$

maximum mass that Higgs
mechanism can generate, $\sim m_{\text{top quark}}$

\Rightarrow KK excitations at LHC !

But this should be viewed as an
order-of-magnitude prediction for E_{KK} ,
not a sharp prediction.

HIDING IN THE QUANTUM SHADOWS?

Heisenberg Uncertainty Principle

$$\Delta E \Delta t \sim h$$

Energy conservation can be violated, but only briefly

\Rightarrow KK would wink in & out of existence, should affect past particle experiments where

$$E < E_{KK}$$

Absence of such "virtual" KK effects puts bounds

$$E_{KK} > \text{few TeV}$$

close to LHC limits

\Rightarrow KK hunting at LHC will be challenging

WARPED VIEW OF HIERARCHY PROBLEM & IMPLICATIONS

Randall, Sundrum '99

Goldberger, Wise '99

Davoudiasl, Hewett, Rizzo '00

Chang, Hisano, Nakano, Okada, Yamaguchi '00

Grossman, Neubert '00

Gherghetta, Pomarol '00

Huber, Shafi '01

Huber, Lee Shafi '02

Csaki, Erlich, Terning '02

Burdman '02

Hewett, Petriello, Rizzo '02


Agashe, Delgado, May, Sundrum '03

Contino, Nomura, Pomarol '03

Agashe, Contino, Pomarol '05

+ . . .

A POSSIBLE DISCOVERY CHANNEL



OTHER DIRECTIONS

